



MATERIAL FACT SHEET

244976 L02CPU-P

General Data

Price List Text (EN)	PLC,L-Series CPU;1024/8192EA;20k;16 In-/8 Output;Ethernet;Source Logic
Price List Text (DE)	SPS L-Serie CPU;1024/8192EA;20k;16 Ein-/8 Ausgänge;Ethernet;Positive Logik
Product Hierarchy	IAD510
	Modular PLC
	L-Serie
Ext. Material Group	10 EOL ANNOUNCED
ABC Indicator	A (Available from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000244976

FA-MOD PLC: CPU Module

Series	MELSEC-L SERIES
Type	SOURCE
Program Memory	20K
Program Memory Unit	STEPS
Local I/O Points	1024
Local + Remote I/O Points	8192
Cycle Time LD (ns)	40
Cycle Time MOV (ns)	80
USB	1
Ethernet Port	1
Buffer Battery	YES
Int. Current Consumption (A)	0,94

Product Dimensions & Weight

Width (mm)	70
Height (mm)	90
Depth (mm)	95
Weight (kg)	0,37

Logistic Dimensions & Gross Weight

Length (cm)	12,0
Width (cm)	15,0
Height (cm)	13,5
Gross Weight (kg)	0,602
Volume (cdm)	2,430

Stock Data

Planned Delivery Time (Days)	136
------------------------------	-----

Life Cycle

Sales Start	03.02.2011
Discontinued (EOL)	08.04.2024
Last Time Buy (LTB)	30.08.2024
Last Time Purchase (LTP)	30.09.2024
End of Service (EOS)	30.09.2031
Predecessor	238057 / L02CPU

Additional Product Information

Binding Tariff Information	DEBT1-52748/20-1
BTI validity date	27.06.2024
Battery included	YES - CHECK SPARE PART LIST
Forecast Breakdown	L-SERIE

Export Data

Commodity Code	85371091
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	110-71-4
REACH Substance CAS Number (2)	12060-00-3
REACH Substance CAS Number (3)	1303-86-2
REACH Substance CAS Number (4)	68-12-2
REACH Substance CAS Number (5)	7439-92-1
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	COMPLIANT
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=L02CPU-P&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=L02CPU-P&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=L02CPU-P&doc-lang=en

Product Packaging

Cardboard (g)	115
Other paper (g)	1
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	6
Wood (g)	0
Glass (g)	0
Others (g)	0

Spare parts

Material	Description	Quantity	Unit
130376	Q6BAT	1	PC

Compatible products

Material	Description / Price List Text / Classification
128424	QC30R2 PLC Q Series CPU Programming cable for RS232 or A9GT-RS2, mini DIN6P-Dsub9P, 3m Class 100100214: FA-MOD PLC: Cable
130376	Q6BAT Lithium Cell for Programmable Controller type Q CPU; CR17335SE-R 3V Class 100100216: FA-MOD PLC: Spare Part
130376	Q6BAT Lithium Cell for Programmable Controller type Q CPU; CR17335SE-R 3V Class 100101303: FA-OTHERS: Battery
134139	A6CON1 PLC Connection-plug for I/O-Modules Source-Input/Sink-Output, soldering Class 100100215: FA-MOD PLC: Other Option
134140	A6CON2 PLC Connection-plug for I/O-Modules Source-Input/Sink-Output, crimp Class 100100215: FA-MOD PLC: Other Option
134141	A6CON3 PLC Connection-plug for I/O-Modules Source-Input/Sink-Output, wrap Class 100100215: FA-MOD PLC: Other Option
140991	Q40CBL-3M PLC Connection cable 40-pin modules (A6CON-type), shielded, length 3 m, open end Class 100100214: FA-MOD PLC: Cable

Material	Description / Price List Text / Classification
140997	Q40CBL-5M PLC Connection cable 40-pin modules (A6CON-type), shielded, length 5 m open end Class 100100214: FA-MOD PLC: Cable
146923	A6CON4 PLC Connection-plug for I/O-Modules as A6CON-1 w/ 45 degree cable-outlet Class 100100215: FA-MOD PLC: Other Option
158068	Q40CBL-10M PLC Connection cable 40-pin modules (A6CON-type), shielded, length 10 m open end Class 100100214: FA-MOD PLC: Cable
158069	Q40CBL-15M PLC Connection cable 40-pin modules (A6CON-type), shielded, length 15 m open end Class 100100214: FA-MOD PLC: Cable
221540	USB-CAB-5M USB 2.0 connection cabel, plug USB A to plug USB B (mini), 5m Class 100100303: FA-HMI: Cable
234630	GX Works2 V01-2L0C-E PLC Programming –S/W for MELSEC Q/L/F; USB; 2 PCs Class 100101201: FA-Software: Software PLC
234631	GX Works2 V01-5L0C-E PLC Programmig –S/W for MELSEC Q/L/F;engl;USB;5 PC´s Class 100101201: FA-Software: Software PLC
238058	L6DSPU PLC, L-Series Display; 16 characters x 4 lines; green/red switch.; optional Class 100100215: FA-MOD PLC: Other Option
238059	L6ADP-R2 PLC, L-Series Serial Module; RS232; 115,2 kbps Class 100100210: FA-MOD PLC: Serial Com Module
238062	L6EC-ET PLC, L-Series End cover; End cover with error terminal Class 100100215: FA-MOD PLC: Other Option
244876	GX Works2 V01-2L0C-G PLC Programming –S/W for MELSEC Q/L/F Series; German; USB; 2 PCs Class 100101201: FA-Software: Software PLC
244877	GX Works2 V01-5L0C-G PLC Programmig –S/W for MELSEC Q/L/F; USB; 5 PCs Class 100101201: FA-Software: Software PLC
249151	L6EC SPS L Serie;End Cover for System Extension Class 100100215: FA-MOD PLC: Other Option
273657	L6ADP-R4 PLC, L-Series Serial Module; RS422/485; 115,2 kbps Class 100100210: FA-MOD PLC: Serial Com Module
284966	NZ1MEM-2GBSD SD Memory Card; 2 GByte Class 100100215: FA-MOD PLC: Other Option
284967	NZ1MEM-4GBSD SD Memory Card; 4 GByte Class 100100215: FA-MOD PLC: Other Option
284968	NZ1MEM-8GBSD SD Memory Card; 8 GByte Class 100100215: FA-MOD PLC: Other Option
284969	NZ1MEM-16GBSD SD Memory Card; 16 GByte Class 100100215: FA-MOD PLC: Other Option
286228	iQ Works V02-5L0C-E iQ Works V2.0;incl Navigator,GX Works,GT Works,MT Works;engl;USB;5 PC´s Class 100101201: FA-Software: Software PLC
303426	iQ Works V02-15L0C-E iQ Works V2.0;incl Navigator,GX Works,GT Works,MT Works;engl;USB;15 PC´s Class 100101201: FA-Software: Software PLC
314841	Q40CBL-10M-S PLC Connection cable 40-pin modules(A6CON-type),10m,open,LiYY 40x0,14 mm²,flex Class 100100214: FA-MOD PLC: Cable
314842	Q40CBL-15M-S PLC Connection cable 40-pin modules(A6CON-type),15m open,LiYY 40x0,14 mm²,flex Class 100100214: FA-MOD PLC: Cable
338821	iQ Works V02-2L0C-G iQ Works V2.0;incl Navigator,GX Works,GT Works,MT Works;German;USB;2 PC´s Class 100101201: FA-Software: Software PLC

Material	Description / Price List Text / Classification
339022	iQ Works V02-5L0C-G iQ Works V2.0;incl Navigator,GX Works,GT Works,MT Works;German;USB;5 PC´s Class 100101201: FA-Software: Software PLC
340984	Transcend SDHC card 16GB Class 10 SDHC memory card 16GB; Class 10; R: 30MB/s; W: 15MB/s Class 100100304: FA-HMI: Other Option
401853	iQ Works V02-2L0C-IT iQ Works V2.0;incl Navigator,GX Works,GT Works,MT Works;Italian;USB;2 PCs Class 100101201: FA-Software: Software PLC
470796	Q7BATN PLC Q Series Battery for CPU; 3 V DC; 6000 mAh Class 100100216: FA-MOD PLC: Spare Part
470796	Q7BATN PLC Q Series Battery for CPU; 3 V DC; 6000 mAh Class 100101303: FA-OTHERS: Battery
470797	Q7BATN-SET PLC Q Series Battery for CPU; 3 V DC; 6000 mAh; incl. Battery holder Class 100100216: FA-MOD PLC: Spare Part
470797	Q7BATN-SET PLC Q Series Battery for CPU; 3 V DC; 6000 mAh; incl. Battery holder Class 100101303: FA-OTHERS: Battery
491761	Verbatim microSDHC Card 16GB Class 10 MicroSDHC memory card 16GB; Class 10; R/W: 10MB/s; adapter included Class 100100215: FA-MOD PLC: Other Option
612268	Transcend SDHC Card 8GB Class 4 SDHC memory card 8GB; Class 4; R: 18MB/s; W: 6MB/s Class 100100304: FA-HMI: Other Option
697551	IE-C6A-0.2m CC-Link IE Certified Patch Cable RJ45 Cat.6A, 0.2m, for Cabinet Class 100100214: FA-MOD PLC: Cable
697582	IE-C6A-0.5m CC-Link IE Certified Patch Cable RJ45 Cat.6A, 0.5m, for Cabinet Class 100100214: FA-MOD PLC: Cable
697583	IE-C6A-1.0m CC-Link IE Certified Patch Cable RJ45 Cat.6A, 1.0m, for Cabinet Class 100100214: FA-MOD PLC: Cable
697584	IE-C6A-2.0m CC-Link IE Certified Patch Cable RJ45 Cat.6A, 2.0m, for Cabinet Class 100100214: FA-MOD PLC: Cable
697585	IE-C6A-5.0m CC-Link IE Certified Patch Cable RJ45 Cat.6A, 5.0m, for Cabinet Class 100100214: FA-MOD PLC: Cable
697586	IE-C6A-10.0m CC-Link IE Certified Patch Cable RJ45 Cat.6A, 10.0m, for Cabinet Class 100100214: FA-MOD PLC: Cable
697587	IE-C6A-15.0m CC-Link IE Certified Patch Cable RJ45 Cat.6A, 15.0m, for Cabinet Class 100100214: FA-MOD PLC: Cable
697588	IE-C6A-20.0m CC-Link IE Certified Patch Cable RJ45 Cat.6A, 20.0m, for Cabinet Class 100100214: FA-MOD PLC: Cable
697589	IE-C6A-25.0m CC-Link IE Certified Patch Cable RJ45 Cat.6A, 25.0m, for Cabinet Class 100100214: FA-MOD PLC: Cable
697590	IE-CB-50pcs CC-Link Bending tool for Patch Cable, RJ45, 50pcs box, 90°Deg radius Class 100100215: FA-MOD PLC: Other Option
697591	IE-C6A-CON-10pcs CC-Link IE Certified Patch Cable connector, easy clip, RJ45, Cat.6A, 10pcs box Class 100100215: FA-MOD PLC: Other Option
717285	EDS-G2008-EL 8Port Entry-level Unmanaged Switch,10/100/1000BaseT(X),CCLink IE Field/TSN Cl. A Class 100100211: FA-MOD PLC: Network Module
717286	EDS-G2005-EL 5Port Entry-level Unmanaged Switch,10/100/1000BaseT(X),CCLink IE Field/TSN Cl. A Class 100100211: FA-MOD PLC: Network Module